


Aging in Place

Adult Living Showers and Tub Showers

 LONGEVITY



Our **Adult Living Series** is increasingly popular with families and individuals who choose to stay in their homes as they grow and age.



longevityacrylics.com

Featured

Adult Living Units

By offering a luxurious and comfortable solution to bathroom safety, these low threshold showers make it is easy to step over and are ideal for installing shower doors. By incorporating adaptability into the shower design, the life and usability of the bathroom is extended. Our selection of Adult Living showers are available in one-piece models for new construction or multi-piece shower units for renovation projects. With convenient standard features like powder coated grab bars, large molded shower seats, and integral soap dishes, our showers reduce the risk of slips and falls in the bathroom.



AL9170 • AL9173
h 88" x w 70" x d 36" (1 pc.) • d 37-1/2" (3 pc.)



AL1660-D • AL1663-D
h 88" x w 60" x d 31-1/2" (1 pc.)
d 33" (3 pc.)



AL1648 • AL1642
h 78-1/4" x w 48" x d 33" (1 pc.) • d 33" (2 pc.)



AL1560-D-LT • AL1563-D-LT
h 88-1/2" x w 60" x d 31-1/2" (1 pc.)
d 33" (3 pc.)

Low Threshold

Options



ALI1560-LT • ALI1562-LT
h 78-1/4" x w 60" x d 33" (1 pc.)
d 33" (2 pc.)



ALI1560-D-LT • ALI1563-D-LT
h 88-1/2" x w 60" x d 31-1/2" (1 pc.)
d 33" (3 pc.)

Invisia

Options & Accessories



Features




All units are thermoformed from a high quality, nonporous high gloss acrylic sheet into a one piece totally seamless unit.



We not only hand spray the back and undersides of all our units but a great deal of care is taken to ensure that each unit has received complete coverage by hand rolling and brushing hard to reach areas with the spray, right up to the edges of the flange.



Our bases are made using only kiln dried lumber which prevents warping – a common problem as wood dries out. With a solid frame base, added strength is provided with an additional layer of fiberglass and resin making it the most durable base in the industry.



All safety bars are supported on the back of the unit with a galvanvanized steel plate which is then siliconed to avoid steam or water penetration.



Factory installed pull ropes on the backs of larger units help to make both transport handling and product positioning safer and easier.



Optional threshold heights are available on many units (please consult a sales associate for threshold availability by model).

Sales agency representing Longevity Acrylics Inc. in Quebec

King Marketing Ltd. • 1 877 844-5464 • sales@kingmkt.com

Les Entreprises SYMO • 1 450 968-3338 • eroberge@symo.ca

longevityacrylics.com




Vieillir chez soi

 LONGEVITY

Baignoires et baignoires-douches Générations



Notre série **Générations** est de plus en plus populaire auprès des familles et des individus qui choisissent de rester chez eux à mesure qu'ils vieillissent.



longevityacrylics.com

Unités Généralions

en vedette

En offrant une solution luxueuse, confortable et sécuritaire, ces douches à seuil bas facilitent l'entrée dans la douche et sont idéales pour des portes. En intégrant l'adaptabilité dans le design de la douche, la durée de vie et la facilité d'utilisation de la salle de bain sont prolongées. Notre sélection de douches Généralions est disponible en modèles 1 pièce pour les nouvelles constructions ou en modèles 2 et 3 pièces pour les projets de rénovation. Avec des caractéristiques standard comme des barres d'appui, de grands sièges de douche moulés et des portes-savons intégrés, nos douches réduisent le risque de glissades et de chutes dans la salle de bain.



AL9170 • AL9173
h 88" x l 70" x p 36" (1 pc.) • p 37-1/2" (3 pc.)



AL1660-D • AL1663-D
h 88" x l 60" x p 31-1/2" (1 pc.)
p 33" (3 pc.)



AL1648 • AL1642
h 78-1/4" x l 48" x p 33" (1 pc.) • p 33" (2 pc.)



AL1560-D-LT • AL1563-D-LT
h 88-1/2" x l 60" x p 31-1/2" (1 pc.)
p 33" (3 pc.)

Options

à seuil bas



AL1560-LT • AL1562-LT
h 78-1/4" x l 60" x p 33" (1 pc.)
p 33" (2 pc.)



AL1560-D-LT • AL1563-D-LT
h 88-1/2" x l 60" x p 31-1/2" (1 pc.)
p 33" (3 pc.)

Options et accessoires

Invisia



Caractéristiques



Toutes les unités sont thermoformées à partir d'une feuille d'acrylique à haute brillance, non poreuse, et de haute qualité dans une unité monobloc complètement sans joints.



Nous ne manipulons pas seulement le dos et le dessous de toutes nos unités, mais nous prenons tout soin de faire en sorte que chaque unité ait reçu une couverture complète en roulant à la main et en brossant les zones difficiles à atteindre avec la pulvérisation, jusqu'aux bords de la bride.




Nos bases sont réalisées en utilisant seulement du bois séché au four qui empêche la déformation - un problème commun. Avec une base solide, une résistance supplémentaire est fournie avec une couche supplémentaire de fibre de verre et de résine qui en fait la base la plus durable de l'industrie.



Toutes les barres de sécurité sont supportées à l'arrière de l'appareil avec une plaque en acier galvanisé qui est ensuite enduit de silicone pour éviter la pénétration de la vapeur ou de l'eau.



Les câbles de traction installés en usine à l'arrière des unités plus grandes contribuent à rendre plus facile la manutention du transport et le positionnement du produit.



Les hauteurs de seuil optionnelles sont disponibles sur de nombreuses unités (veuillez consulter un associé de vente pour la disponibilité de seuil par modèle).

Agence de vente représentant Longevity Acrylics Inc. au Québec

King Marketing Ltd. • 1 877 844-5464 • sales@kingmkt.com
Les Entreprises SYMO • 1 450 968-3338 • eroberge@symo.ca

longevityacrylics.com

